



HAGLUND INDUSTRI

REFRIGERATED WALL DISPLAY 2024



HAGLUND INDUSTRI
KYLA | ALLA FORMER

150 YEARS OF INNOVATION CAN BE SEEN IN THE DETAILS

For five generations, the Haglund family has had its own production at the factory in Sweden. From the early sheet metal workshop to today's high-quality refrigerators, the basic recipe has remained the same: listen to customers, pay attention to details and never stop developing technology and functionality. This tradition is what's built into all our products, giving them a finish and durability that makes us slightly unique. The products are also thoroughly tested, first by us and then by our customers. Try for yourself and notice the difference.

FEEL FREE TO CONTACT US FOR A ESTIMATE

Every restaurant and hospitality establishment has its own needs and specific requirements. We are happy to help you find a solution that suits your needs the best. Call or email us and tell us what you need and we will give you a proposal and ON REQUEST.

EMAIL US: SALES@HAGLUNDINDUSTRI.SE

OR CALL: +46 (0) 321-29 990

3 REFRIGERATED WALL DISPLAY

5 FROST REFRIGERATED WALL DISPLAY



**HAGLUND
INDUSTRI**
KYLA I ALLA FORMER

FROST


REFRIGERATED WALL DISPLAY

OUR ENERGY-EFFICIENT REFRIGERATED WALL DISPLAYS ARE PERFECT FOR FOOD AND BEVERAGES THAT GUESTS PICK UP THEMSELVES. FOR EXAMPLE FOR TAKE AWAY MEALS. THE BUILD QUALITY IS SOLID WITH A STAINLESS STEEL DESIGN AND GLASS IN SIDE PANEL AS OPTION. INTEGRATED LED LIGHTING ENHANCES THE PRESENTATION OF YOUR PRODUCTS. THE SHELVES ARE ADJUSTABLE AND WE OFFER A WIDE RANGE OF SIZES TO MAKE IT EASY FOR YOU TO FIND THE RIGHT ONE.

FROST REFRIGERATED WALL DISPLAY: WITHIN EASY REACH, ATTRACTIVELY SERVED

LED LIGHTS ON EVERY SHELF

LED lighting on every shelf as standard, fitted via a quick connector.



GLASS IN SIDE PANEL INCREASE VISIBILITY (OPTIONAL)

To display the goods more clearly, you can optionally choose glass in side panel with energy-efficient insulated glass.

EXCLUSIVE GLASS SHELVES (OPTIONAL)

To give your unit a more airy look, choose glass shelves (stainless steel is standard).

NEW!
Now with the eco-friendly R-290 refrigerant!

STAINLESS STEEL SHELVES OF QUALITY

Stainless steel shelves available in 2 designs. Either smooth or with raised edge (Recommended if the shelves are inclined) payload of 25kg/metre.



ELECTRONIC CONTROL

If the condenser filter needs to be cleaned/replaced, an alarm will sound, separate button to switch off lighting.



NIGHT BLIND

Night blind to save energy when the refrigerator is not in use. As an option, the night blind can be supplied with a customised print.





4 REASONS TO CHOOSE FROST

1. FLEXIBLE

Flexible refrigerator for an excellent display of chilled, pre-packed goods such as salads, sandwiches, sauces, juices, drinks, cheeses, cold cuts, etc.

2. BLENDS INTO THE SURROUNDINGS

Easy to be correctly built into cabinetry to blend in.

3. SAVE TIME AND MONEY

Increases the opportunity to choose goods, which saves time, and perhaps even money and staff over time.

4. VARIOUS DESIGNS

Available in many different designs including mirror walls, Glass in side panel, glass shelves, angled shelves, etc.



DUST FILTER

The Refrigerated Wall Display display refrigerator is equipped with a dust filter that can be removed easily by hand, no tools required. Behind the dust filter hides a cooling unit developed by us that emits minimal noise and is cooled by low-energy fans of the highest quality.

FROST
1000A



FROST
2000A



NEW!
Now with the
eco-friendly R-290
refrigerant!



FROST REFRIGERATED WALL DISPLAY

STANDS - REMOTE COOLING UNIT

REMOTE COOLING UNIT

MODEL	SHELF DIM (mm)	DIMENSIONS (mm)
FROST-900C	784x377	900x700x1950
FROST-1000C	884x377	1000x700x1950
FROST-1200C	1084x377	1200x700x1950
FROST-1400C	1284x377	1400x700x1950
FROST-1600C	1484x377	1600x700x1950
FROST-1800C	1684x377	1800x700x1950
FROST-2000C	1884x377	2000x700x1950
FROST-2200C	2084x377	2200x700x1950
FROST-2400C	2284x377	2400x700x1950

STANDARD: STAINLESS STEEL DESIGN / INTEGRATED LED-LIGHTING ON EVERY SHELF / ADJUSTABLE STAINLESS STEEL SHELVES THAT CAN BE POSITIONED FLAT OR AT A 15° ANGLE / NIGHT BLIND / SUPPLIED WITH 4 STAINLESS STEEL SHELVES, GLASS SHELVES AVAILABLE AS AN OPTION

EXTRA EQUIPMENT

GLASS IN SIDE PANEL
MIRROR IN SIDE PANEL
COVERED BACK
EVAPORATOR TRAY 900-1200*
EVAPORATOR TRAY 1400-2000*
SWING DOORS
SPECIAL DIMENSIONS
DEPTH = 600 MM
BRINE
CO2
POLISHED
DIMMABLE LIGHTING

LOCKABLE BLIND

FROST-1000
FROST-1200
FROST-1600
FROST-2000

*Not recommended, condensate evaporator for 2100-2400 is not possible



FROST
1000C



LOCKABLE BLIND

Depth +25 mm
Height +100 mm

TECHNICAL DATA

REMOTE COOLING UNIT

MODEL	POWER SUPPLY	CONNECTED POWER**	TEMP. RANGE	COOLING REQUIREMENT (W)	REFRIGERANT
FROST-900C	230 V / 10 A	100W	+4 - +8	900 / -10°C	R-134a / R-452A*
FROST-1000C	230 V / 10 A	110W	+4 - +8	1000 / -10°C	R-134a / R-452A*
FROST-1200C	230 V / 10 A	120W	+4 - +8	1200 / -10°C	R-134a / R-452A*
FROST-1400C	230 V / 10 A	130W	+4 - +8	1400 / -10°C	R-134a / R-452A*
FROST-1600C	230 V / 10 A	150W	+4 - +8	1600 / -10°C	R-134a / R-452A*
FROST-1800C	230 V / 10 A	160W	+4 - +8	1800 / -10°C	R-134a / R-452A*
FROST-2000C	230 V / 10 A	180W	+4 - +8	2000 / -10°C	R-134a / R-452A*
FROST-2200C	230 V / 10 A	180W	+4 - +8	2200 / -10°C	R-134a / R-452A*
FROST-2400C	230 V / 10 A	200W	+4 - +8	2400 / -10°C	R-134a / R-452A*

*CO2 or other refrigerant can be supplied upon request.

**Connected Power stated without electric evaporator tray.

FROST REFRIGERATED WALL DISPLAY

STANDS - BUILT-IN UNIT

BUILT-IN UNIT

MODEL	SHELF DIM (mm)	DIMENSIONS (mm)
FROST-900A	784x377	900x700x1950
FROST-1000A	884x377	1000x700x1950
FROST-1200A	1084x377	1200x700x1950
FROST-1400A	1284x377	1400x700x1950
FROST-1600A	1484x377	1600x700x1950
FROST-1800A	1684x377	1800x700x1950
FROST-2000A	1884x377	2000x700x1950
FROST-2200A	2084x377	2200x700x1950
FROST-2400A	2284x377	2400x700x1950

STANDARD: STAINLESS STEEL DESIGN / INTEGRATED LED-LIGHTING ON EVERY SHELF / ADJUSTABLE STAINLESS STEEL SHELVES THAT CAN BE POSITIONED FLAT OR AT A 15° INCLINE / SUPPLIED WITH 4 STAINLESS STEEL SHELVES, GLASS SHELVES AVAILABLE AS AN OPTION / REMOVABLE DUST FILTER / NIGHT BLIND

EXTRA EQUIPMENT

GLASS IN SIDE PANEL
MIRROR IN SIDE PANEL
VISIBLE BACK
SWING DOORS
EVAPORATOR TRAY 900-1200
EVAPORATOR TRAY 1400-2000*
GLASS SHELVES

LOCKABLE BLIND

FROST-1000
FROST-1200
FROST-1600
FROST-2000

*Not recommended



NEW!
Now with the eco-friendly R-290 refrigerant!

FROST 2000A

ADJUSTABLE SHELVES
The Refrigerated Wall Display display refrigerator is delivered with 4 stainless steel adjustable shelves. The consoles can be inclined 15° easily by hand.




TECHNICAL DATA

BUILT-IN UNIT

MODEL	POWER SUPPLY	CONNECTED POWER*	TEMPERATURE RANGE	REFRIGERANT
FROST-900A	230 V / 10 A	800 W	+4 - +8	R-290
FROST-1000A	230 V / 10 A	800 W	+4 - +8	R-290
FROST-1200A	230 V / 10 A	920 W	+4 - +8	R-290
FROST-1400A	230 V / 10 A	1150 W	+4 - +8	R-290
FROST-1600A	230 V / 10 A	1150 W	+4 - +8	R-290
FROST-1800A	230 V / 10 A	1200 W	+4 - +8	R-290
FROST-2000A	230 V / 10 A	1400 W	+4 - +8	R-290

*Connected Power stated without electric evaporator tray.



MODULAR COLD ROOMS & FREEZER ROOMS

VERTICAL REFRIGERATORS & FREEZER CABINETS

TINA THAWING CABINET

BLAST CHILLER / FREEZER

REFRIGERATED COUNTERS

SERVING COOLING / HEATING

REFRIGERATED WALL DISPLAY

REFRIGERATED DISPLAYS

REFRIGERATED WINE & BEER DISPLAY

HAGLUND INDUSTRI AB
STORA VÄGEN 8, 523 61 GÄLLSTAD, SWEDEN / VÄXEL: +46 (0) 321-299 90
INFO@HAGLUNDINDUSTRI.SE / WWW.HAGLUNDINDUSTRI.SE



**HAGLUND
INDUSTRI**
KYLA I ALLA FORMER