

HAGLUND INDUSTRI

TINA

THAWING CABINET

2024



HAGLUND INDUSTRI
KYLA | ALLA FORMER

150 YEARS OF INNOVATION CAN BE SEEN IN THE DETAILS

For five generations, the Haglund family has had its own production at the factory in Sweden. From the early sheet metal workshop to today's high-quality refrigerators, the basic recipe has remained the same: listen to customers, pay attention to details and never stop developing technology and functionality. This tradition is what's built into all our products, giving them a finish and durability that makes us slightly unique. The products are also thoroughly tested, first by us and then by our customers. Try for yourself and notice the difference.

FEEL FREE TO CONTACT US FOR A ESTIMATE

Every restaurant and hospitality establishment has its own needs and specific requirements. We are happy to help you find a solution that suits your needs the best. Call or email us and tell us what you need and we will give you a proposal and ON REQUEST.

EMAIL US: SALES@HAGLUNDINDUSTRI.SE

OR CALL: +46 (0) 321-29 990



**HAGLUND
INDUSTRI**
KYLA I ALLA FORMER

TINA -THAWING CABINET

**FREEZE WITH STORM, STORE WITH BRIS,
AND THAW WITH TINA**



NOISELESS



EFFICIENT



ECO-FRIENDLY

FOOD HANDLING IS ONLY AS GOOD AS ITS WEAKEST LINK, WITH THE INTRODUCTION OF TINA HAGLUND CAN GUARANTEE SAFE AND GENTLE HANDLING THROUGHOUT THE ENTIRE CHAIN FROM BLAST FREEZING TO THAWING. THE PATENTED THAWING TECHNOLOGY* WE HAVE INTEGRATED INTO OUR CABINETS HAS BEEN PERFECTED WITH THE LATEST INNOVATIONS TO PROVIDE FAST AND SAFE THAWING AND ENSURE THE ABSOLUTE HIGHEST FOOD QUALITY.

7" MULTITOUCH

Very easy to use controls, you just choose the type of product you want to Thawing and the cabinet does the rest for you.

CABINET STORAGE

Once thawing is complete, the cabinet stores the product.

SSD-RELAY

Very precise temperature control and extended service life thanks to SSD relays that regulate the temperature inside the cabinet.

HYGIENIC HUMIDITY GENERATION

Advanced humidity generator that cleans itself automatically. Maintenance is performed simply from the cabinet's front.



*The cabinet uses patented defrosting technology and is developed in collaboration with Ipinium.

TINA – THAWING CABINET

TINA – THAWING CABINET

REMOTE COOLING UNIT

MODEL TYPE	TYPE	DIM (mm)
TINA-830C	GN1/1 TROLLEY	810x850x2050
TINA-1130C	GN2/1 TROLLEY	1130x850x2050

STANDARD: MULTITOUCH PANEL 7" / HUMIDITY GENERATOR WITH AUTOMATIC CLEANING /
PWM HEAT REGULATION / INSERT SENSOR / INCLUDES 1 TROLLEY + 14 BASKETS

EXTRA EQUIPMENT

BUILT-IN UNIT (R-290), NOTE: HEIGHT 2200 mm
BRINE
CO2
LEFT-HINGED DOOR
RACKING TROLLEY GN1/1
RACKING TROLLEY GN2/1
RACKING TROLLEY 2XGN1/1
BASKETS GN1/1
BASKETS GN2/1

TECHNICAL DATA

REMOTE COOLING UNIT

MODEL	POWER REQUIREMENT	EFFECT	COOLING REQUIREMENT (W)	REFRIGERANT
TINA-830C	3x400V/16A	4,4KW	1,0/-10°C	R-744 (CO ₂)
TINA-1130C	3x400V/16A	4,4KW	1,5/-10°C	R-744 (CO ₂)

MODULAR COLD ROOMS & FREEZER ROOMS

VERTICAL REFRIGERATORS & FREEZER CABINETS

TINA THAWING CABINET

BLAST CHILLER / FREEZER

REFRIGERATED COUNTERS

SERVING COOLING / HEATING

REFRIGERATED WALL DISPLAY

REFRIGERATED DISPLAYS

REFRIGERATED WINE & BEER DISPLAY

HAGLUND INDUSTRI AB
STORA VÄGEN 8, 523 61 GÄLLSTAD, SWEDEN / VÄXEL: +46 (0) 321-299 90
INFO@HAGLUNDINDUSTRI.SE / WWW.HAGLUNDINDUSTRI.SE



**HAGLUND
INDUSTRI**
KYLA I ALLA FORMER